

Destinatar

Firma
Referinta
Adresa
Phone
Fax
E-mail

Expeditor

Cod articol :

60190920

Articol:

S4 16/16 T 400 V 4OL AMEIRA

Inverter application : Allowed - min. 30Hz

Date pompa

MEI \geq 0,4

P2 nominal requested : 3 kW

Temperatura min. fluid 0 °C

Temperatura max. fluid 40 °C

Max. Permitted amount of sand : 150 g/m³

Date de functionare cerute

Debit :

Înăltime de pompare :

Fluid pompat : Apă

Temperatura fluid: 20 °C

Densitate 998.3 kg/m³

Vascozitate cinematica: 1.005 mm²/s

Presiune de vapori: 2.34 kPa

Date disponibile:

Debit :

Înăltime de pompare :

Materiale

Lower support Precision Cast Steel AISI 304

Rotor Tecnopolimer

Difuzor Tecnopolimer



Screws Otel inox AISI 304

Cable sheath Otel inox AISI 304

Arbore Stainless Steel AISI 420

Delivery port Precision Cast Steel AISI 304

Curve tolerance according to ISO 9906



Date motor

Motor type : 4OL

Putere nominala P2: 3 kW

Tensiune nominala : 3~ 400 V 50 Hz

Curent nominal : 7.5 A

Number of poles : 2

Viteza nominala: 2840 1/min

Grad de protecție: IP 68

Masa 27.4 kg

Dimensiuni de gabarit mm

DNM	2" G-F				
H	1841				
Ø	99				

Racorduri pompa:


Partea cu aspiratia: /
Partea cu refularea: 2" G-F / --

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

Installation example without inverter




Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

Installation example with inverter




Destinatari

Expeditor

 Firma
 Referinta
 Adresa
 Phone
 Fax
 E-mail

S4 16/16 T 400 V 40L AMEIRA

Curve tolerance according to ISO 9906



Partea cu aspiratia:

 Partea cu refularea:
 2" G-F
 --

Debit :

Înaltime de pompare :

 Viteza nominala:
 2840 1/min

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER_

ISSUE_DATE

12/21/2020



DESEN DIMENSIONAL

12/21/2020

Pagina 5 / 5


DAB PUMPS S.p.A.
Via Marco Polo, 14 - 35035 Mestrino (PD), Italy
Tel. +39 049 5125000 - Fax +39 049 5125950
www.dabpumps.com

Destinatar

Expeditor

Firma
Referinta
Adresa
Phone
Fax
E-mail

S4 16/16 T 400 V 4OL AMEIRA



Dimensiuni in mm

Racorduri pompa:

1
2
3
4
5
6
7
8
9
10
11
12

DNM
H
Ø

2" G-F
1841
99

Aspiratie

Refulare
2" G-F
--

MAIN_PROJECT_TITLE

BUSINESS_PROCESS_ID

OWNER

ISSUE_DATE

12/21/2020